



















Characteristics 	Specifications 	Care 	Ignitability 	Environment 
<p><b>Total composition</b>  <b>34%WO 28%PES 23%PP 15%CO</b></p>  <p><b>Width</b>                      140 + 4cm</p> <p><b>Weight</b>                      535 gr/m<sup>2</sup> ± 5 %                      750 gr/lm ± 5 %</p> <p><b>Custom code</b>                      UE: 5112.20.00                      USA: 5112.20.10.00</p> <p><b>Laboratory test number</b>                      IN-00199/2013                      doc.011440 64125                      TE NR.14-0531</p>	<p><b>Seam slippage resistance (mm)</b> <b>2,00</b>                      EN ISO 13936/2:2004 <b>3,70</b></p>  <p><b>Abrasion resistance (End point)</b> <b>62.000</b>                      EN ISO 12947-2:1998</p>  <p><b>Abrasion resistance (change of aspect: 3000 cycles)</b> <b>4-5</b>                      EN ISO 12947/4:1998 and EN 14465:2003 (Annex A)</p>  <p><b>Pilling resistance</b> <b>4-5</b>                      EN ISO 12945/2:2000</p>  <p><b>Lightfastness</b> <b>7-8</b>                      EN ISO 105-B02:1998 &amp; 105 B02/A01:2002</p>  <p><b>Colour fastness to rubbing</b> <b>4-5</b>                      EN ISO 105-X12:2002 <b>4-5</b></p> 	<p><b>Washing conditions</b></p>  <ul style="list-style-type: none"> <li>No chemicals needed for cleaning</li> <li>Machine-washable</li> </ul>  <p><b>Notes</b>                      Domestic machine wash with special wool program.                      Tumble dry on a low cycle.                      Dry horizontally.                      Iron only on the reverse side using a protective cloth between fabric and iron at minimum iron temperature.</p> <p><b>Dimensional change domestic washing and drying (%)</b> <b>-3,00%</b>  <b>-3,00%</b>                      EN ISO 3759:2008, EN ISO 6330:2000, EN ISO 5077:2008</p> 	<p>BS5852 Source 0 ✓                      BS5852 Source 1 ✓                      EN1021-Part 1:2006 ✓                      EN1021-Part 2:2006 ✓                      CAL TB 117:2013 ✓                      NFPA 260:2013 ✓                      BS 7176 Low Hazard ✓                      UNI 9175 Clase 3IM ✓                      IMO Anexo 1 Parte 8 ✓</p> <p><b>Notes</b>                      Slight colour variations may occur from batch to batch.</p> <p><b>Attention</b>                      When confectioning or washing a sofa cover with velcro, attach a protective strip to avoid damage to the fabric.</p>	<p><b>Environmental composition</b></p>  <p><b>Recycled yarn 43%</b></p> <ul style="list-style-type: none"> <li>GRS Recycled PET bottles <b>28%</b></li> <li>GRS Recycled CO waste <b>11%</b></li> <li>Circular yarn from own waste <b>4%</b></li> </ul> <p><b>Standard yarn 57%</b></p> <ul style="list-style-type: none"> <li>Low-impact yarn (PP) <b>23%</b></li> <li>WO yarn <b>34%</b></li> </ul> <p><b>Sustainability</b></p> <ul style="list-style-type: none"> <li>Oekotex certified</li> <li>REACH approved chemicals and dyes</li> <li>Biocide and PFCs free</li> <li>Zero-waste production</li> <li>Manufactured under ISO 9001 and ISO 14001 standards</li> <li>Made in Barcelona (EU)</li> </ul> 