

| Characteristics   | Specifications  | Care  | Ignitability  | Environment   |
|---|---|---|---|---|
| <b>Total composition</b><br><b>84%PP 16%PES</b><br><br><b>Width</b><br><b>140 + 4cm</b><br><br><b>Weight</b><br><b>530 gr/m<sup>2</sup> ± 5 %</b><br><b>742 gr/lm ± 5 %</b><br><br><b>Custom code</b><br><b>UE: 5407.73.00</b><br><b>USA: 5407.73.20.60</b><br><br><b>Laboratory test number</b><br><b>2019AN1636</b> | <b>Seam slippage resistance (mm)</b> <b>2,00</b><br><small>EN ISO 13936/2:2004</small><br><br><b>Abrasion resistance (End point)</b> <b>30.000</b><br><small>EN ISO 12947-2:1998</small><br><br><b>Pilling resistance</b> <b>4-5</b><br><small>EN ISO 12945/2:2000</small><br><br><b>Lightfastness to weather</b> <b>&gt;6</b><br><small>EN ISO 105-B04:1997 (1000 hours)</small><br><br><b>Colour fastness to rubbing</b> <b>4-5</b><br><small>EN ISO 105-X12:2002</small><br><br><b>Colour fastness to domestic and commercial laundering (30°)</b> <b>4-5</b><br><small>EN ISO 105-C06:1997/AC:2009</small><br><br><b>Resistance to putrefaction (Mould &amp; bacterium resist.)</b> <b>Face fabric</b><br><br><b>Swimming pool chlorine fastness</b> <b>4-5</b><br><small>EN ISO 105-E03:1993</small><br> | <b>Soiling and cleanability</b> <b>4-5</b><br><small>FORD FLTM BN 112-08:2005</small><br><br><ul style="list-style-type: none"> <li>Permanent protection against stains</li> <li>Spot-cleaning with soap and water</li> <li>No chemicals needed for cleaning</li> <li>Machine-washable</li> </ul><br><b>Washing conditions</b><br><br><b>Notes</b><br>Bleach cleanable 80% water 20% bleach. In case of mould growth, machine-wash with a mild laundry detergent and add 0,2 liter of household bleach to the first rinse cycle. Wash at 40° C during at least 30 minutes. Use gentle cycle with minimal centrifugation.<br><br><b>Dimensional change domestic washing and drying (%)</b> <b>-2,00%</b><br><b>-0,80%</b><br><small>EN ISO 3759:2008, EN ISO 6330:2000, EN ISO 5077:2008</small><br> | <b>BS5852 Source 0</b> ✓<br><b>EN1021-Part 1:2006</b> ✓<br><b>CAL TB 117:2013</b> ✓<br><b>NFPA 260:2013</b> ✓ | <b>Environmental composition</b><br><br><ul style="list-style-type: none"> <li>Recycled yarn <b>16%</b> <ul style="list-style-type: none"> <li>GRS Recycled PET bottles <b>16%</b></li> </ul> </li> <li>Standard yarn <b>84%</b> <ul style="list-style-type: none"> <li>Low-impact yarn (PP) <b>84%</b></li> </ul> </li> </ul><br><b>Sustainability</b> <ul style="list-style-type: none"> <li>Oekotex certified</li> <li>REACH approved chemicals and dyes</li> <li>Biocide and PFCs free</li> <li>Zero-waste production</li> <li>Manufactured under ISO 9001 and ISO 14001 standards</li> <li>Made in Barcelona (EU)</li> </ul><br> |