

















crevin

Fusion

fire resistant • wool blend • washable

Characteristics 	Specifications 	Care 	Ignitability 	Environment 
<p>Total composition 34%WO 28%PES 23%PP 15%CO</p>  <p>Width 140 + 4cm</p> <p>Weight 535 gr/m² ± 5 % 750 gr/lm ± 5 %</p> <p>Custom code UE: 5112.20.00 USA: 5112.20.10.00</p> <p>Laboratory test number IN-00199/2013 doc.011440 64125 TE NR.14-0531</p>	<p>Seam slippage resistance (mm) 2,00 EN ISO 13936/2:2004 3,70</p>  <p>Abrasion resistance (End point) 62.000 EN ISO 12947-2:1998</p>  <p>Abrasion resistance (change of aspect: 3000 cycles) 4-5 EN ISO 12947/4:1998 and EN 14465:2003 (Annex A)</p>  <p>Pilling resistance 4-5 EN ISO 12945/2:2000</p>  <p>Lightfastness 7-8 EN ISO 105-B02:1998 & 105 B02/A01:2002</p>  <p>Colour fastness to rubbing 4-5 EN ISO 105-X12:2002 4-5</p> 	<p>Washing conditions</p>  <ul style="list-style-type: none"> No chemicals needed for cleaning Machine-washable  <p>Notes Domestic machine wash with special wool program. Tumble dry on a low cycle. Dry horizontally. Iron only on the reverse side using a protective cloth between fabric and iron at minimum iron temperature.</p> <p>Dimensional change domestic washing and drying (%) -3,00% -3,00% EN ISO 3759:2008, EN ISO 6330:2000, EN ISO 5077:2008</p> 	<p>BS5852 Source 0 ✓ BS5852 Source 1 ✓ EN1021-Part 1:2006 ✓ EN1021-Part 2:2006 ✓ CAL TB 117:2013 ✓ NFPA 260:2013 ✓ BS 7176 Low Hazard ✓ UNI 9175 Clase 3IM ✓ IMO Anexo 1 Parte 8 ✓</p> <p>Notes Slight colour variations may occur from batch to batch.</p> <p>Attention When confectioning or washing a sofa cover with velcro, attach a protective strip to avoid damage to the fabric.</p>	<p>Environmental composition</p>  <p>• Recycled yarn 43%</p> <ul style="list-style-type: none"> GRS Recycled PET bottles 28% GRS Recycled CO waste 11% Circular yarn from own waste 4% <p>• Standard yarn 57%</p> <ul style="list-style-type: none"> Low-impact yarn (PP) 23% WO yarn 34% <p>Sustainability</p> <ul style="list-style-type: none"> Oekotex certified REACH approved chemicals and dyes Biocide and PFCs free Zero-waste production Manufactured under ISO 9001 and ISO 14001 standards Made in Barcelona (EU) 