

Designed and Crafted

Texturas

Road to zero



crevin

More than 70.000 kg of
textile waste is saved from
landfill or incineration
every year.

70% of our wastewater
is reused every day.

27.200 kg of CO₂ emissions
are avoided every year.



Scan to see how we do it.

PERFORMANCE+

Easy to clean, long-lasting fabrics

When every day
is so demanding,
you need a fabric
that takes care of you.

crevin

What are the benefits of a PERFORMANCE+ fabric?

EASY TO CLEAN

Never be worried
about staining and soiling.

LONG- LASTING

High-quality upholstery fabrics
designed for life.

MACHINE- WASHABLE

Removable covers are
machine-washable at 30°C.

5-YEAR GUARANTEE*

Backed by a 5-year guarantee
against wear and tear.

* Download the guarantee T&C
at crevin.com



For full cleaning instructions, please visit:
crevin.com/performance+



MADE IN
GREEN



STANDARD
100



STeP



Designed

and

Crafted



in Terrassa

crevin

(Barcelona)

Only great fabrics have
a story to tell

DESIGN FOR A BETTER WORLD

As fabric makers we think of living and working spaces as places of beauty and comfort. Durability and sustainability stand firmly at the center of our design.



LOCAL

Our mill is a bustling, free-spirited playground of creativity, joy and mindfulness. Here is where all our fabrics come to life. Our whereabouts - the Mediterranean, where colour, light and a positive attitude towards life play a prominent role- are the heart and soul of our brand.

AUTHENTICITY

Made from custom-spun yarns and recycled materials, Crevin fabrics are defined by a distinctive aesthetic and a fresh take on contemporary design.



SUSTAINABLE DNA

Now more than ever we are convinced that local production, longevity, and use of recycled materials are the greatest sources of inspiration and drivers for positive change.

CONTROL OVER OWN PRODUCTION

01

We are totally vertical from the design of yarn, product development, weaving, dyeing, and finishing up to the dispatch of finished rolls. We work strictly local, with our own people and suppliers from our whereabouts.



This is why we are
sustainable

RESOURCE-FRIENDLINESS

02

Since 2010 our manufacturing process is certified under ISO 14001, a management system that compiles written principles for maximizing resource efficiency and pollution control. In 2014, we implemented a closed-loop recycling process that converts all our textile waste into new yarn. From 2024 our mill is certified after OEKO-TEX® Made in Green, which is a traceable product label, accompanied by a QR code, for textiles that are manufactured in environmentally and human friendly facilities. In 2025, our mill acquired the Zero Waste certification by AENOR, evidencing that the production of our fabrics does not generate any waste.

SUSTAINABILITY BY DESIGN

03

Our creative process starts with considering materials, construction, processes, and the lifecycle of fabrics. We guarantee quality and aesthetics by using custom-made yarns from local partners, while diminishing transport and emissions. For more durability, we construct our fabrics in two interwoven layers, which enables us to use recycled materials in all our designs, including yarn made from our own manufacturing waste.

PERFORMANCE WITHOUT ADDING CHEMICALS

04

Crevin fabrics are double-woven, rendering unnecessary any form of backings or coatings, and are certified under STANDARD 100 by OEKO-TEX®, which guarantees that no substances are used that may cause a threat to the human health or environment. Crevin has totally abandoned the use of PFAS from their production. Under our quality seal **PERFORMANCE+** we offer easy stain and soil release by means of a cleaning agent commonly used in detergents.





LIFE CYCLE ASSESSMENT

06

The annual CO₂ and water footprints of each of our fabrics are expressed in Life Cycle Assessment (LCA) data, provided by the textile engineering faculty of the Universitat Politècnica de Catalunya (UPC). LCA data make it possible to measure environmental impact and reduce negative effects every year, while providing sustainability performance information to customers and end-users.

ROAD TO ZERO

05

Our Road to Zero is our ambitious journey towards zero-impact in textiles. It is built around zero-waste, zero-water, and zero-CO₂, and compiles all actions towards our goal of achieving zero-impact by 2030. Apart from a blueprint, our Road to Zero is an interactive framework to engage suppliers, local artisans, and customers into contributing positively to climate change and help end-users with making well-informed purchase decisions.

Read about our Road to Zero:
crevin.com/roadtozero





crevin.com



Earth tones connect us with the essence of nature and the stability of the ground beneath our feet. These warm and welcoming hues evoke a deep sense of harmony and balance. Surrounding ourselves with the colours of the earth, we feel an ancestral peace and a connection to the secrets of life. They invite us to find beauty in the natural world and to live in tune with our surroundings.

Harmony

crevin

crevin



Duo N° 01



Moulin N° 05



Drom N° 06



Sublim N° 01



Moulin N° 07



Duo N° 02



Sublim N° 02



Salvia N° 12



Sublim N° 05



Club N° 11



Moulin N° 10



Drom N° 02



Granit N° 01



Salvia N° 10



Granit N° 05



Club N° 10



Granit N° 08



Drom N° 10



Salvia N° 05



Gres N° 02




Duo N° 08



Gres N° 07



Drom N° 04



Sublim N° 11



Salvia N° 08



Club N° 12



Gres N° 11



Drom N° 11



Salvia N° 02



Club N° 05



Drom N° 09



Granit N° 07



Club N° 08



Salvia N° 04



Gres N° 12



Sublim N° 12



Duo N° 17

Warm colours radiate energy and enthusiasm, filling us with a vibrant sense of vitality. These luminous tones invite us to live with passion and joy, in celebration of each special moment. Surrounding ourselves with warm hues awakens our spirit and makes us feel more alive and motivated. They inspire us to act with confidence and determination, embracing life with the utmost intensity.

Vitality

crevin

crevin



Drom N° 19



Drom N° 16




Duo N° 16



Salvia N° 29



Sublim N° 26



Granit N° 26



Salvia N° 61



Club N° 161



Gres N° 61



Club N° 119



Sublim N° 16




Moulin N° 20



Gres N° 26




Duo N° 21



Drom N° 26




Sublim N° 71



Sublim N° 62



Gres N° 21



Gres N° 20




Club N° 129



Sublim N° 19



Salvia N° 21



Drom N° 27



Duo N° 26



Duo N° 64



Club N° 164



Drom N° 13



Salvia N° 20



Duo N° 13



Moulin N° 26




Drom N° 62



Granit N° 21



Club N° 171



Moulin N° 62




Sublim N° 64

Cool colours, such as blue and green, envelop us in serene calmness, inviting introspection and mental clarity. Observing a blue sky or a green meadow we find a refuge of peace that connects us to our deepest essence. These soft and refreshing tones remind us of the importance of quietness and balance in our hectic lives. Through them we cultivate greater awareness and a deeper appreciation of the present. Let cool colors guide you toward inner tranquility and a stronger connection with your inner self.

Conscience



Moulin N° 38



Drom N° 31



Salvia N° 07




Moulin N° 33



Drom N° 34



Salvia N° 11




Sublim N° 40



Duo N° 42



Club N° 139



Club N° 132




Salvia N° 30



Sublim N° 33




Sublim N° 34



Granit N° 33



Club N° 140



Granit N° 45



Club N° 143



Sublim N° 32



Drom N° 15



Granit N° 32



Salvia N° 35




Club N° 35



Duo N° 34



Club N° 47



Gres N° 45



Club N° 51



Club N° 142



Gres N° 38



Drom N° 30



Sublim N° 75



Gres N° 33



Club N° 07



Salvia N° 38



Sublim N° 45



Drom N° 45



Moulin N° 47

Gray colours, with their subtle elegance, awaken feelings of serenity and mindfulness. These neutral and sophisticated tones invite reflection and a quest for peace through simplicity. Gray reminds us that in quiet and balance, we find clarity and inner strength. It inspires us to appreciate moments of tranquility and connect with our deepest essence.

Serenity

crevin

crevin



Drom N° 50



Moulin N° 51



Duo N° 05



Sublim N° 50



Granit N° 54



Sublim N° 54



Duo N° 51




Club N° 53



Moulin N° 54



Salvia N° 50




Drom N° 59



Duo N° 80



Salvia N° 59



Sublim N° 51



Gres N° 52



Duo N° 59



Drom N° 54



Moulin N° 52



Granit N° 51



Club N° 54



Salvia N° 51



Club N° 52



Moulin N° 50



Drom N° 51



Granit N° 53



Sublim N° 52



Duo N° 55



Sublim N° 07



Drom N° 52



Gres N° 54



Granit N° 52



Drom N° 75



Duo N° 53



Salvia N° 53



Sublim N° 53



Duo N° 83

By emphasizing simplicity and a welcoming aesthetic, Club brings a sense of calm to upholstered furniture. A subtle jacquard pattern mimics the irregularities of natural fiber, while a blend of matte and lustrous chenille offers unrivalled touch and great functionality.

Club’s new colour directions, featuring lemon, orange, pine green, and turquoise, transform modern interiors into vibrant and inviting spaces that reflect personal style.



crevin

Club			      
Characteristics		PERFORMANCE+	
Sustainability		43% recycled fiber	
Composition		50%PES 35%PES REC 8%CO REC 7%CO	
Width		140 + 4 cm	
Weight		740 gr/lm ± 5%	
Seam slippage resistance (mm) EN ISO 13936/2	Warp	2,50	
	Weft	2,33	
Abrasion resistance	End Point	80.000	
	Fully worn off EN ISO 12947/2	30.000	
	Change aspect 3000c EN ISO 12947/4 / EN 14466 (Annex A)	4 — 5	
Pilling resistance EN ISO 12945/2		4 — 5	
Assessment of ignitability* *Upon request: BS5852 Source 1, EN1021-Part 2:2006, BS 7176 Low Hazard, UNI 9175 Classe 3IM	BS5852 Source 0 EN 1021 Part 1 CAL TB 117 NFPA 260	Pass	
Lightfastness EN ISO 105-B02 / EN ISO 105 B02/A01		5 — 6	
Colour fastness to rubbing EN ISO 105-X12	Dry	4 — 5	
	Wet	4 — 5	
Dimensional change domestic washing and drying (%) EN ISO 3759 / EN ISO 6330 / EN ISO 6077	Warp	-2%	
	Weft	-3%	
Washing conditions			

Designed and Crafted
in Terrassa (Barcelona)

www.crevin.com



crevin

Club



N° 05



N° 07



N° 10



N° 139



N° 132



N° 134



N° 11



N° 08



N° 12



N° 142



N° 143



N° 35



N° 20



N° 119



N° 129



N° 140



N° 47



N° 51



N° 161



N° 171



N° 164



N° 54



N° 52



N° 53



N° 119

A perfect marriage of simple beauty and great utility, Drom blends clean forms with a calming aesthetic. Using a low-pile chenille tightly interwoven into a dense weave, Drom offers a strong and lasting quality that reminds of natural canvas. Rich linen tones are accompanied by leafy greens, soft woody tones and earthy shades, breathing the warmth of the Mediterranean forest.

A vibrant, subtly sparkling effect add depth and luminosity to the fabric’s surface, as touched by an imaginary sunset.

crevin

Drom

DURABILITY CERTIFIED BY ATEX 2024R41613 OEKO TEX® STANDARD 100 ISO 9001 CERTIFIED ISO 14001 CERTIFIED PFAS FREE REACH		
Characteristics		PERFORMANCE+
Sustainability		54% recycled fiber
Composition		54%PES REC 26%PP 20%PES
Width		140 + 4 cm
Weight		630 gr/lm ± 5%
Seam slippage resistance (mm) EN ISO 13936/2	Warp	3,80
	Weft	3,90
Abrasion resistance	End Point EN ISO 12947/2	50.000
	Change aspect 3000c EN ISO 12947/4 / EN 14485 (Annex A)	4 — 5
Pilling resistance EN ISO 12945/2		4 — 5
Assessment of ignitability* *Upon request: BS6852 Source 1, EN1021-Part 2:2006, BS 7176 Low Hazard, UNI 9175 Classe 3IM	BS5852 Source 0 EN 1021 Part 1 CAL TB 117 NFPA 260	Pass
Lightfastness EN ISO 105-B02 / EN ISO 105 B02/A01		6 — 7
Colour fastness to rubbing EN ISO 105-X12	Dry	4 — 5
	Wet	4 — 5
Dimensional change domestic washing and drying (%) EN ISO 3769 / EN ISO 6330 / EN ISO 5077	Warp	-2%
	Weft	-1,5%
Washing conditions		30 W



crevin

Drom



N° 02




N° 06




N° 09



N° 34



N° 31



N° 30



N° 04



N° 13



N° 11



N° 10



N° 40



N° 43



N° 45



N° 19



N° 16




N° 15



N° 26



N° 50



N° 59



N° 52



N° 27



N° 62



N° 71



N° 75



N° 51



N° 54



N° 34

Impeccably crafted from durable and time-tested materials Duo is known for a quiet aesthetic reflecting the uncomplicated expression of everyday objects. From the very beginning, the specialty yarn used for Duo, extruded in two-coloured, irregular strands, was instantly recognized as innovative and captivating.

Over the years, thanks to its carefree and enduring quality, Duo turned into an icon, remaining true to its original concept.



Duo			      
Characteristics		PERFORMANCE+	
Sustainability		25% recycled fiber	
Composition		48%PP 18%PES 15%PES REC 10%CO REC 9%CO	
Width		140 + 4 cm	
Weight		625 gr/lm ± 5%	
Seam slippage resistance (mm) EN ISO 13936/2	Warp	2,00	
	Weft	2,00	
Abrasion resistance	End Point EN ISO 12947/2	31.000	
	Change aspect 3000c EN ISO 12947/4 / EN 14465 (Annex A)	4	
Pilling resistance EN ISO 12945/2		5	
Assessment of ignitability* *Upon request: BS5852 Source 1, EN1021-Part 2:2006, BS 7176 Low Hazard, UNI 9175 Classe 3IM	BS5852 Source 0 EN 1021 Part 1 CAL TB 117 NFPA 260	Pass	
Lightfastness EN ISO 105-B02 / EN ISO 105 B02/A01		>6	
Colour fastness to rubbing EN ISO 105-X12	Dry	4 — 5	
	Wet	4 — 5	
Dimensional change domestic washing and drying (%) EN ISO 3759 / EN ISO 6330 / EN ISO 5077	Warp	-1%	
	Weft	-1%	
Washing conditions			    



Duo



N° 05



N° 01



N° 02



N° 04



N° 07



N° 30



N° 34



N° 11



N° 16



N° 18



N° 10



N° 42



N° 43



N° 26



N° 17



N° 08



N° 13



N° 80



N° 51



N° 53



N° 21



N° 61



N° 64



N° 83



N° 59



N° 55



N° 11

By shaping four different recycled materials into organic shapes reminiscent of stone sediments, Granit sets a new standard in sustainable design. With a careful balance of no-impact materials using minimal reprocessing and no chemical additives, Granit has been designed for longevity, functionality and the ability to grow more beautiful with age.

Embracing texture and colour as integral design elements, Granit tells a story of discarded materials brought back to a beautiful new life.

crevin

Granit

Granit DURABILITY CERTIFIED BY AENOR 2024RA1616 OEKO TEX® STANDARD 100 ISO 9001 CERTIFIED ISO 14001 CERTIFIED PFAS FREE REACH ✓		
Characteristics		PERFORMANCE+
Sustainability		90% recycled fiber
Composition		58%PES REC 28%PP REC 10%PES 2%CO REC 2%OF REC
Width		140 + 4 cm
Weight		775 gr/lm ± 5%
Seam slippage resistance (mm) EN ISO 13936/2	Warp	1,50
	Weft	2,00
Abrasion resistance	End Point EN ISO 12947/2	50.000
	Change aspect 3000c EN ISO 12947/4 / EN 14485 (Annex A)	4 — 5
Pilling resistance EN ISO 12945/2		4 — 5
Assessment of ignitability* *Upon request: BS5852 Source 1, EN1021-Part 2:2006, BS 7176 Low Hazard, UNI 9175 Clase 3IM	BS5852 Source 0 EN 1021 Part 1 CAL TB 117 NFPA 260	Pass
Lightfastness EN ISO 105-B02 / EN ISO 105 B02/A01		5 — 6
Colour fastness to rubbing EN ISO 105-X12	Dry	4 — 5
	Wet	4 — 5
Dimensional change domestic washing and drying (%) EN ISO 3759 / EN ISO 6330 / EN ISO 5077	Warp	-3%
	Weft	-3%
Washing conditions		30 X X X X W

Designed and Crafted
in Terrassa (Barcelona)

www.crevin.com




crevin



N° 01



N° 32




N° 33



N° 05



N° 07



N° 45



N° 08




N° 12




N° 51



N° 52



N° 54




N° 21



N° 26



N° 54



N° 53

The jacquard Gres reminds of handmade hydraulic tiles and captures the essence of decorative beauty. Gres’ geometric pattern, reminiscent of a herringbone, is modernized by turning it into what appears to be a faux plain at distance.

With the help of naturally inspired tonal contrasts like grays with hints of pearl, oranges with notes of tangerine, a blue misty sky with spotty clouds, a sunset with a breeze of sand, Gres reveals an expressive composition materialized in pattern and colour.



Gres		DURABILITY CERTIFIED BY AENOR 2024R41614 OEKO TEX® STANDARD 100 ECO PASS CERTIFIED ISO 14001 PFAS FREE REACH	
Characteristics		PERFORMANCE+	
Sustainability		83% recycled fiber	
Composition		49%PES REC 21%PP REC 17%PES 7%CO REC 6%OF	
Width		140 + 4 cm	
Weight		695 gr/lm ± 5%	
Seam slippage resistance (mm) EN ISO 13936/2	Warp	2,20	
	Weft	1,90	
Abrasion resistance		End Point EN ISO 12947/2	50.000
Pilling resistance EN ISO 12945/2		4—5	
Assessment of ignitability* *Upon request: BS5852 Source 1, EN1021-Part 2:2006, BS 7176 Low Hazard, UNI 9175 Classe 3IM		BS5852 Source 0 EN 1021 Part 1 CAL TB 117 NFPA 260	Pass
Lightfastness EN ISO 105-B02 / EN ISO 105 B02/A01		5—6	
Dimensional change domestic washing and drying (%) EN ISO 3759 / EN ISO 6330 / EN ISO 5077	Warp	-2%	
	Weft	-2%	
Washing conditions		40 P W	

Designed and Crafted in Terrassa (Barcelona)

www.crevin.com

CREVIN

DESIGNED IN TERRASSA

MADE IN SPAIN



crevin



N° 02



N° 05



N° 11



N° 12



N° 07




N° 10



N° 33




N° 38



N° 20



N° 26



N° 45



N° 61



N° 21



N° 54



N° 52



N° 02

The design concept of Moulin is built around a particular yarn called mouliné, which combines multiple threads in contrasting colours. Paying tribute to textile artistry, Moulin is the perfect option for interior designers who look at combining modern décor and rusticity.

Rich colour blends create shades that embrace each other in earthy textures with a hint of imperfection giving a unique touch to contemporary interior spaces.



Moulin DURABILITY CERTIFIED BY INTEX 20204541600 OEKO TEX® MADE IN GREEN OEKO TEX® STANDARD 100 ISO 9001 CERTIFIED ISO 14001 CERTIFIED PFAS FREE REACH CHECKED		
Characteristics		PERFORMANCE+
Sustainability		20% recycled fiber
Composition		80%PP 14%PES REC 3%CO REC 3%OF REC
Width		140 + 4 cm
Weight		770 gr/lm ± 5%
Seam slippage resistance (mm) EN ISO 13936/2	Warp	2,50
	Weft	2,00
Abrasion resistance		End Point EN ISO 12947/2 80.000
Pilling resistance EN ISO 12945/2		4 — 5
Assessment of ignitability* *Upon request: BS5852 Source 1, EN1021-Part 2:2006, BS 7176 Low Hazard, UNI 9176 Classe 3IM		BS5852 Source 0 EN 1021 Part 1 CAL TB 117 NFPA 260 Pass
Lightfastness EN ISO 105-B02 / EN ISO 105 B02/A01		>6
Colour fastness to rubbing EN ISO 105-X12	Dry	4 — 5
	Wet	4 — 5
Dimensional change domestic washing and drying (%) EN ISO 3759 / EN ISO 6330 / EN ISO 5077	Warp	-3%
	Weft	-2%
Washing conditions		30

Designed and Crafted
in Terrassa (Barcelona)

www.crevin.com

REACH

Compliant

PFAS


Free



crevin



N° 20



N° 62




N° 51



N° 07




N° 05



N° 54



N° 26



N° 50



N° 33



N° 10




N° 38



N° 52



N° 47



N° 38

Versatile and elegant, functional, and intriguing: Salvia conveys a laid-back spirit that speaks of comfort, performance and beauty. This feel-good fabric is made from a double-coloured chenille, creating natural mélanges that evoke connotations with Mediterranean landscapes set in twilight.

Featuring a rich weave with a strong structure, Salvia satisfies those with busy lifestyles and who value peace and understatement in the after-hours.

crevin

Salvia

Salvia DURABILITY CERTIFIED BY AENOR 2024RA1612 OEKO TEX® STANDARD 100 ISO 9001 CERTIFIED ISO 14001 CERTIFIED PFAS FREE REACH ✓		
Characteristics		PERFORMANCE+
Sustainability	31% recycled fiber	
Composition	45%PP 24%PES 22%PES REC 5%CO REC 4%OF REC	
Width	140 + 4 cm	
Weight	715 gr/lm ± 5%	
Seam slippage resistance (mm) EN ISO 13936/2	Warp	2,00
	Weft	2,00
Abrasion resistance	End Point EN ISO 12947/2	45.000
	Change aspect 3000c EN ISO 12947/4 / EN 14485 (Annex A)	4
Pilling resistance EN ISO 12945/2	4 — 5	
Assessment of ignitability* *Upon request: BS5852 Source 1, EN1021-Part 2:2006, BS 7176 Low Hazard, UNI 9176 Classe 3IM	BS5852 Source 0 EN 1021 Part 1 CAL TB 117 NFPA 260	Pass
Lightfastness EN ISO 105-B02 / EN ISO 105 B02/A01	>6	
Colour fastness to rubbing EN ISO 105-X12	Dry	4 — 5
	Wet	4 — 5
Dimensional change domestic washing and drying (%) EN ISO 3759 / EN ISO 6330 / EN ISO 5077	Warp	-3%
	Weft	-3%
Washing conditions		

Designed and Crafted in Terrassa (Barcelona)

www.crevin.com



crevin



N° 02



N° 05



N° 04



N° 07




N° 08



N° 11



N° 12



N° 45



N° 30



N° 35



N° 10



N° 20



N° 50



N° 59



N° 38



N° 29



N° 61



N° 21




N° 51



N° 54



N° 53



N° 30

From the very beginning, Sublim’s abstract jacquard pattern and mix of natural and vibrant colours have been the hallmark of its design. Soft, functional and extremely versatile, Sublim invites to living boldly and comfortably well.

Regardless the complexity of modern-day living, Sublim encapsulates the true essence of lasting quality, being a perfect option for those decorators who seek flexibility of use, durability, and timeless appeal.

Sublim

crevin

Sublim

DURABILITY

CERTIFIED BY ATEX

2024R416111

OEKO

TEX®

STANDARD 100

ISO 9001

CERTIFIED

ISO 14001

CERTIFIED

PFAS

FREE

REACH

CHECKED

Characteristics		PERFORMANCE+
Sustainability		56% recycled fiber
Composition		44%PES 43%PES REC 7%CO REC 6%OF REC
Width		140 + 4 cm
Weight		654 gr/lm ± 5%
Seam slippage resistance (mm) EN ISO 13936/2	Warp	2,90
	Weft	3,00
Abrasion resistance	End Point EN ISO 12947/2	60.000
	Change aspect 3000c EN ISO 12947/4 / EN 14465 (Annex A)	4
Pilling resistance EN ISO 12945/2		5
Assessment of ignitability* *Upon request: BS5852 Source 1, EN1021-Part 2:2006, BS 7176 Low Hazard, UNI 9175 Classe 3IM	BS5852 Source 0 EN 1021 Part 1 CAL TB 117 NFPA 260	Pass
Lightfastness EN ISO 105-B02 / EN ISO 105 B02/A01		5—6
Dimensional change domestic washing and drying (%) EN ISO 3759 / EN ISO 6330 / EN ISO 5077	Warp	-1%
	Weft	-1%
Washing conditions		

Designed and Crafted in Terrassa (Barcelona)

www.crevin.com

Data Sheet



N° 01




N° 07



N° 05




N° 13



N° 34



N° 32



N° 30




N° 02



N° 11




N° 75



N° 33



N° 45



N° 43



N° 40



N° 19




N° 16



N° 12



N° 51



N° 54



N° 52



N° 26



N° 71



N° 62



N° 64



N° 50



N° 53



N° 71

