

Client: Crevin, s.a.
Pol.Ind.Santa Margarita I
C/Llobregat, 21
08223 Terrassa (BCN)
Spain

Entry No: 64126

Date received: 04/03/2014

Client's Description: 3 samples of fabric Tonic:- Colours 11, 45, 52

TEST REPORT

Test Required: Colour Fastness to Rubbing
Method of Test: BSEN ISO 105-X12:2002
Date of Test: 06.03.14 to 07.03.14

		<u>Dry</u>	<u>Wet</u>
11:-	Warp	4-5	4-5
	Weft	4-5	4-5
45:-	Warp	4-5	3-4
	Weft	4-5	4
52:-	Warp	4-5	4-5
	Weft	4	4-5

-----End of Document-----

This is hereby certified to be a correct return of the tests made of the items referred to herein.



Geoff Briggs C.Text., A.T.I.
Head of laboratory
12th March 2014



- ❖ Unless instructed otherwise by the client sample remnants will be disposed of after 28 days
- ❖ Test marked (*) in this certificate are not included in the UKAS Accreditation Schedule for this Laboratory.
- ❖ Opinions and interpretations expressed herein are outside the scope of UKAS accreditation.
- ❖ This Certificate relates only to the sample received and, unless that sample has been drawn by the staff of this laboratory, or its agent, and endorsed accordingly, any application of the result to a bulk quantity or other material is entirely the responsibility of the client.

