

















Characteristics 	Specifications 	Care 	Ignitability 	Environment 
<p><b>Total composition</b>  <b>66%PP 13%MA 11%CO 10%PES</b></p>  <p><b>Width</b>                      140 + 4cm</p> <p><b>Weight</b>                      680 gr/m<sup>2</sup> ±5 %                      952 gr/ml. ±5 %</p> <p><b>Custom code</b>                      UE: 5407.73.00                      USA: 5407.73.20.60</p> <p><b>Laboratory test number</b>                      Document 11834, 11837, 11848</p>	<p><b>Seam slippage resistance (mm)</b> <b>-1,00</b>                      EN ISO 13936/2:2004 <b>-1,00</b></p>  <p><b>Abrasion resistance (End point)</b> <b>100.000</b>                      EN ISO 12947-2:1998</p>  <p><b>Abrasion resistance (change of aspect: 3000 cycles)</b> <b>4-5</b>                      EN ISO 12947/4:1998 and EN 14465:2003 (Annex A)</p>  <p><b>Pilling resistance</b> <b>5</b>                      EN ISO 12945/2:2000</p>  <p><b>Lightfastness</b> <b>&gt;6</b>                      EN ISO 105-B02:1998 &amp; 105 B02/A01:2002</p>  <p><b>Colour fastness to rubbing</b> <b>4-5</b>                      EN ISO 105-X12:2002 <b>4-5</b></p> 	<p><b>Soiling and cleanability</b> <b>4-5</b>                      FORD FLTM BN 112-08:2005</p>  <ul style="list-style-type: none"> <li>Spot-cleaning with soap and water</li> <li>No chemicals needed for cleaning</li> <li>Machine-washable</li> </ul>  <p><b>Washing conditions</b></p>  <p><b>Notes</b>                      Bleach cleanable 80% water 20% bleach.</p> <p><b>Dimensional change domestic washing and drying (%)</b> <b>-2,50%</b>  <b>-3,00%</b>                      EN ISO 3759:2008, EN ISO 6330:2000, EN ISO 5077:2008</p>  <p><b>Notes</b>                      Rapport design 1,5cm x 2,7cm +/- 3,5%</p> <p><b>Attention</b>                      When confectioning or washing a sofa cover with velcro, attach a protective strip to avoid damage to the fabric.</p>	<p>BS5852 Source 0 ✓                      BS5852 Source 1 ✓                      EN1021-Part 1 ✓                      EN1021-Part 2 ✓                      CAL TB 117 ✓                      NFPA 260 ✓                      BS 7176 Low Hazard ✓                      UNI 9175 Clase 3IM ✓</p> <p><b>Notes</b>                      Rapport design 1,5cm x 2,7cm +/- 3,5%</p> <p><b>Attention</b>                      When confectioning or washing a sofa cover with velcro, attach a protective strip to avoid damage to the fabric.</p>	<p><b>Environmental composition</b></p>  <p><b>Recycled yarn 21%</b></p> <ul style="list-style-type: none"> <li>GRS Recycled PET bottles <b>10%</b></li> <li>GRS Recycled CO waste <b>11%</b></li> </ul> <p><b>Standard yarn 79%</b></p> <ul style="list-style-type: none"> <li>Low-impact yarn (PP) <b>66%</b></li> <li>MA yarn <b>13%</b></li> </ul> <p><b>Sustainability</b></p> <ul style="list-style-type: none"> <li>Oekotex certified</li> <li>REACH approved chemicals and dyes</li> <li>Biocide and PFCs free</li> <li>Zero-waste production</li> <li>Manufactured under ISO 9001 and ISO 14001 standards</li> <li>Made in Barcelona (EU)</li> </ul> 