












Characteristics 	Specifications 	Care 	Ignitability 	Environment 
<p><b>Total composition</b> 49%PP 47%PES 4%CO</p>  <p><b>Width</b> 140 + 4cm</p> <p><b>Weight</b> 550 gr/m<sup>2</sup> ± 5 % 770 gr/lm ± 5 %</p> <p><b>Custom code</b> UE: 5801.36.00 USA: 5801.36.00.20</p> <p><b>Laboratory test number</b> IN-01415-2015 IN-01324-2015 Doc. 12279</p>	<p><b>Seam slippage resistance (mm)</b> <span style="float:right">2,90</span> EN ISO 13936/2:2004 <span style="float:right">2,00</span></p>  <p><b>Abrasion resistance (End point)</b> <span style="float:right">60.000</span> EN ISO 12947-2:1998</p>  <p><b>Abrasion resistance (change of aspect: 3000 cycles)</b> <span style="float:right">4-5</span> EN ISO 12947/4:1998 and EN 14465:2003 (Annex A)</p>  <p><b>Pilling resistance</b> <span style="float:right">4-5</span> EN ISO 12945/2:2000</p>  <p><b>Lightfastness</b> <span style="float:right">6-7</span> EN ISO 105-B02:1998 &amp; 105 B02/A01:2002</p>  <p><b>Colour fastness to rubbing</b> <span style="float:right">4-5</span> EN ISO 105-X12:2002 <span style="float:right">4-5</span></p>  <p><b>Colour fastness to domestic and comercial laundering (30°)</b> <span style="float:right">4-5</span> EN ISO 105-C06:1997/AC:2009</p> 	<p><b>Soiling and cleanability</b> <span style="float:right">4</span> FORD FLTM BN 112-08:2005</p>  <ul style="list-style-type: none"> <li>Spot-cleaning with soap and water</li> <li>No chemicals needed for cleaning</li> <li>Machine-washable</li> </ul>  <p><b>Washing conditions</b></p>  <p><b>Dimensional change domestic washing and drying (%)</b> <span style="float:right">-2,40%</span> <span style="float:right">-2,00%</span> EN ISO 3759:2008, EN ISO 6330:2000, EN ISO 5077:2008</p>  <p><b>Attention</b> When confectioning or washing the sofa cover with velcro please attach a protective cloth</p>	<p>BS5852 Source 0 <span style="float:right">✓</span></p> <p>BS5852 Source 1 <span style="float:right">UPON REQUEST</span></p> <p>EN1021-Part 1:2006 <span style="float:right">✓</span></p> <p>EN1021-Part 2:2006 <span style="float:right">UPON REQUEST</span></p> <p>CAL TB 117:2013 <span style="float:right">✓</span></p> <p>NFPA 260:2013 <span style="float:right">✓</span></p> <p>BS 7176 Low Hazard <span style="float:right">UPON REQUEST</span></p> <p>UNI 9175 Clase 3IM <span style="float:right">UPON REQUEST</span></p>	<p><b>Environmental composition</b></p>  <p>• Recycled yarn <b>16%</b></p> <ul style="list-style-type: none"> <li>GRS Recycled PET bottles <span style="float:right">14%</span></li> <li>GRS Recycled CO waste <span style="float:right">2%</span></li> </ul> <p>• Standard yarn <b>84%</b></p> <ul style="list-style-type: none"> <li>Low-impact yarn (PP) <span style="float:right">49%</span></li> <li>PES yarn <span style="float:right">33%</span></li> <li>CO yarn <span style="float:right">2%</span></li> </ul> <p><b>Sustainability</b></p> <ul style="list-style-type: none"> <li>Oekotex certified</li> <li>REACH approved chemicals and dyes</li> <li>Biocide and PFCs free</li> <li>Zero-waste production</li> <li>Manufactured under ISO 9001 and ISO 14001 standards</li> <li>Made in Barcelona (EU)</li> </ul> 