




















Characteristics 	Specifications 	Care 	Ignitability 	Environment 
<p><b>Total composition</b> 91%PES 9%CO</p>  <p><b>Width</b> 140 + 4cm</p> <p><b>Weight</b> 557 gr/m<sup>2</sup> ± 5 % 780 gr/lm ± 5 %</p> <p><b>Custom code</b> UE: 5801.36.00 USA: 5801.36.00.20</p> <p><b>Laboratory test number</b> Docs. 13868,13865,13884, 13883 2020AN1320 EN ISO 20743</p>	<p><b>Seam slippage resistance (mm)</b> 1,00 EN ISO 13936/2:2004 WARP 1,00 WEFT 1,00</p>  <p><b>Abrasion resistance (End point)</b> 200.000 EN ISO 12947-2:1998</p>  <p><b>Abrasion resistance (change of aspect: 3000 cycles)</b> 4-5 EN ISO 12947/4:1998 and EN 14465:2003 (Annex A)</p>  <p><b>Pilling resistance</b> 5 EN ISO 12945/2:2000</p>  <p><b>Lightfastness</b> 5-6 EN ISO 105-B02:1998 &amp; 105 B02/A01:2002</p>  <p><b>Colour fastness to rubbing</b> 4-5 EN ISO 105-X12:2002 DRY 4-5 WET 4-5</p> 	<p><b>Soiling and cleanability</b> 4-5 FORD FLTM BN 112-08:2005</p>  <ul style="list-style-type: none"> <li>Spot-cleaning with soap and water</li> <li>No chemicals needed for cleaning</li> <li>Machine-washable</li> </ul>  <p><b>Washing conditions</b></p>  <p><b>Notes</b> Iron on reverse side.</p> <p><b>Dimensional change domestic washing and drying (%)</b> -1,60% -2,00% EN ISO 3759:2008, EN ISO 6330:2000, EN ISO 5077:2008</p>  <p><b>Antibacterial activity</b> EN ISO 20743:2013 Strong antibacterial property &gt;3</p>  	<p><b>BS5852 Source 0</b> ✓</p> <p><b>BS5852 Source 1</b> UPON REQUEST</p> <p><b>EN1021-Part 1</b> ✓</p> <p><b>EN1021-Part 2</b> UPON REQUEST</p> <p><b>CAL TB 117</b> ✓</p> <p><b>NFPA 260</b> ✓</p> <p><b>BS 7176 Low Hazard</b> UPON REQUEST</p> <p><b>UNI 9175 Clase 3IM</b> UPON REQUEST</p> <p><b>IMO Annex 1 Part 8</b> UPON REQUEST</p> <p><b>Attention</b> When confectioning or washing a sofa cover with velcro, attach a protective strip to avoid damage to the fabric.</p>	<p><b>Environmental composition</b></p>  <p>• Recycled yarn 16% <ul style="list-style-type: none"> <li>GRS Recycled CO waste 5%</li> <li>GRS Recycled PET bottles 11%</li> </ul> </p> <p>• Standard yarn 84% <ul style="list-style-type: none"> <li>PES yarn 80%</li> <li>CO yarn 4%</li> </ul> </p> <p><b>Sustainability</b></p> <ul style="list-style-type: none"> <li>Oekotex certified</li> <li>REACH approved chemicals and dyes</li> <li>PFCs free</li> <li>Zero-waste production</li> <li>Manufactured under ISO 9001 and ISO 14001 standards</li> <li>Made in Barcelona (EU)</li> </ul> 